



People Advocating Recovery is a statewide group of concerned individuals working to eliminate barriers to recovery from addiction.

Sample: Community stakeholders (friends and family members, current/former substance abusers, and concerned citizens)

Total sample size: N=600

Sample Characteristics (note: equals more than 100% because participants can fall into more than one category)

I have a friend or family member with a current or former substance abuse problem:

N=303, 50.05%: I have a friend or family member with a current or former substance abuse problem

N=82, 13.7%: I am a current or former substance abuser

N=279, 46.5%: I am a concerned citizen

N=51, 8.5%: None of these describes me

Have you ever heard of Narcan?

N=523, 87.2%: Yes

N=50, 8.3%: No

N=27, missing

Has anyone ever given you Narcan?

N=9, 1.5%: Yes

N=505, 84.2%: No

N=86, missing

Have you ever given Narcan to someone else?

N=47, 7.8%: Yes

N=471, 78.5%: No

N=82, missing

In the next 6 months, how likely is it that you will be with someone who overdoses?

N=42, 7%: Very likely

N=107, 17.8%: somewhat likely

N=250, 41.7%: probably not likely

N=159, 26.5%: definitely not likely

N=42, missing

PAR-People Advocating Recovery
1425 Story Ave.
Louisville, KY 40206
502-552-8573
www.peopleadvocatingrecovery.org

Have you ever been taught to use Narcan?

N=139, 23.2%: Yes

N=371, 61.8%: No

N=90, missing

I would be willing to be trained in how to use Narcan?

N=325, 54.2%: Strongly agree

N=130, 21.7%: Agree

N=20, 3.3%: Disagree

N=17, 2.8%: Strongly disagree

N=63, missing

I would be willing to give someone a shot of Narcan if they overdosed near me:

N=335, 55.8%: Strongly Agree

N=130, 21.7%: Agree

N=20, 3.3%: Disagree

N=17, 2.8%: Strongly disagree

N=63, missing

I would be willing to give someone Narcan through a nose spray if they overdose near me:

N=370, 61.7%: Strongly agree

N=125, 20.8%: Agree

N=10, 1.7%: Disagree

N=13, 2.2%: Strongly disagree

N=63, missing

I would be willing to ask my family physician for a prescription for Narcan:

N=211, 35.2%: Strongly agree

N=116, 19.3%: Agree

N=59, 9.8%: Disagree

N=41, 6.8%: Strongly disagree

N=67, missing

I would be willing to get Narcan from a needle exchange site:

N=172, 28.7%: Strongly agree

N=94, 15.7%: Agree

N=87, 14.5%: Disagree

N=73, 12.2%: Strongly disagree

N=68 missing

I would be willing to get Narcan from a hospital or an emergency department:

N=221, 36.8%: Strongly agree

N=148, 24.7%: Agree

N=43, 7.2%: Disagree

N=45, 7.5%: Strongly disagree

N=69, missing

I would be willing to get Narcan through a mobile pharmacy site designed to dispense this drug:

N=227, 37.8%: Strongly agree

N=149, 24.8%: Agree

N=36, 6%: Disagree

N=42, 7%: Strongly disagree

N=80, 13.3%: don't know

N=66, missing

I would be willing to fill a prescription for Narcan at my local pharmacy:

N=223, 37.2%: Strongly agree

N=136, 22.7%: Agree

N=50, 8.3%: Disagree

N=38, 6.3%: Strongly disagree

N=85, 14.2%: Don't know

N=68, missing

I would be willing to get Narcan from my local health department:

N=236, 39.3%: Strongly agree

N=164, 27.3%: Agree

N=33, 5.5%: Disagree

N=31, 5.2%: Strongly disagree

N=68, 11.3%: Don't know

N=68: missing

In the past year, have you seen someone else overdose?

N=58, 9.7%: Yes

N=420, 70%: No

N=122: missing

Data collected and analyzed by Amanda Fallin, PhD, RN and Amie Goodin, MPP. For questions or comments, contact Dr. Fallin at atfall2@uky.edu.